

ALLEGATO XI
AGGIORNAMENTO FORMULARIO STANDARD



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI)
and for Special Areas of Conservation
(SAC)

SITE IT1110036
SITENAME Lago di Candia

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1 SITE IDENTIFICATION

1.1 Type	1.2 Site code
C	IT1110036

1.3 Site name

Lago di Candia

1.4 First Compilation date	1.5 Update date
1995 – 09	2019-11

1.6 Respondent:

Name/Organization:	Regione Piemonte - Direzione Ambiente - Settore Aree Naturali Protette
Address:	Via Nizza, 18 - 10125 Torino
Email	biodiversita@regione.piemonte.it

1.7 Site indication and designation / classification dates

Date site classified as SPA	2000-08
National legal reference of SPA designation	D.G.R. n.37-28804 del 29/11/1999

Date site proposed as SCI	1995 - 09
Date site confirmed as SCI	No data
Date site designated as SAC:	2017 – 11
National legal reference of SAC designation	DM 21/11/2017 - G.U. 283 del 04-12-2017

PF: for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.

NP: in case that a habitat type no longer exists in the site enter: x (optional)

Cover: decimal values can be entered

Caves: for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site					Site assessment							
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D			A B C			
						Min	Max				Pop.	Con.	Iso.	Glo			
B	A085	<i>Accipiter gentilis</i>			w				P	DD	C	C	C	C			
B	A085	<i>Accipiter gentilis</i>			c				P	DD	D						
B	A086	<i>Accipiter nisus</i>			r				P	DD	C	C	C	C			
B	A086	<i>Accipiter nisus</i>			w				P	DD	C	C	C	C			
B	A086	<i>Accipiter nisus</i>			c				P	DD	D						
B	A298	<i>Acrocephalus arundinaceus</i>			r	10	20	p		G	C	B	C	B			
B	A298	<i>Acrocephalus arundinaceus</i>			c				P	DD	D						
B	A293	<i>Acrocephalus melanopogon</i>			c				R	DD	D						
B	A296	<i>Acrocephalus palustris</i>			r	11	50	p		G	C	B	C	B			
B	A296	<i>Acrocephalus palustris</i>			c				P	DD	C	C	C	C			
B	A295	<i>Acrocephalus schoenobaenus</i>			c				P	DD	C	B	B	B			
B	A297	<i>Acrocephalus scirpaceus</i>			r	6	10	p		G	C	B	C	B			
B	A168	<i>Actitis hypoleucos</i>			c				P	DD	D						
B	A324	<i>Aegithalos caudatus</i>			r				P	DD	C	C	C	C			
B	A324	<i>Aegithalos caudatus</i>			w				P	DD	C	C	C	C			
B	A247	<i>Alauda arvensis</i>			p				P	DD	C	C	C	C			
B	A229	<i>Alcedo atthis</i>			p				P	DD	C	B	C	B			
B	A230	<i>Alcedo atthis</i>			r				C	DD	C	B	C	B			
B	A230	<i>Alcedo atthis</i>			w				C	DD	C	B	C	B			
B	A054	<i>Anas acuta</i>			w				P	DD	D						
B	A054	<i>Anas acuta</i>			c				P	DD	D						
B	A056	<i>Anas clypeata</i>			w				R	DD	D						
B	A056	<i>Anas clypeata</i>			c				P	DD	D						
B	A052	<i>Anas crecca</i>			w	17	60	i		G	C	B	C	B			
B	A052	<i>Anas crecca</i>			c				P	DD	D						
B	A050	<i>Anas Penelope</i>			w				R	DD	D						
B	A050	<i>Anas Penelope</i>			c				P	DD	D						
B	A053	<i>Anas platyrhynchos</i>			c				C	DD	C	B	C	B			
B	A053	<i>Anas platyrhynchos</i>			w	700	1300	i		G	C	B	C	B			
B	A053	<i>Anas platyrhynchos</i>			r				C	DD	C	B	C	B			
B	A055	<i>Anas querquedula</i>			c				P	DD	D						

Species					Population in the site					Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D			
						Min	Max				Pop.	Con.	Iso.	Glo
B	A051	<i>Anas strepera</i>			c				P	DD	D			
B	A051	<i>Anas strepera</i>			w				R	DD	D			
B	A255	<i>Anthus campestris</i>			c				R	DD	D			
B	A257	<i>Anthus pratensis</i>			c				P	DD	D			
B	A257	<i>Anthus pratensis</i>			w				P	DD	D			
B	A259	<i>Anthus spinoletta</i>			c				P	DD	D			
B	A259	<i>Anthus spinoletta</i>			w				P	DD	D			
B	A256	<i>Anthus trivialis</i>			c				P	DD	D			
B	A226	<i>Apus apus</i>			c				P	DD	D			
B	A091	<i>Aquila chrysaetos</i>			c				R	DD	D			
B	A028	<i>Ardea cinerea</i>			r	15	35	p		G	C	B	C	B
B	A028	<i>Ardea cinerea</i>			c				P	DD	C	B	C	B
B	A028	<i>Ardea cinerea</i>			w				P	DD	C	B	C	B
B	A029	<i>Ardea purpurea</i>			r	3	5	p		G	C	B	B	B
B	A029	<i>Ardea purpurea</i>			c				P	DD	D			
B	A024	<i>Ardeola ralloides</i>			c				P	DD	D			
B	A221	<i>Asio otus</i>			r				P	DD	C	C	C	C
B	A221	<i>Asio otus</i>			c				P	DD	D			
B	A221	<i>Asio otus</i>			w				P	DD	C	C	C	C
B	A218	<i>Athene noctua</i>			r				P	DD	C	C	C	C
B	A218	<i>Athene noctua</i>			w				P	DD	C	C	C	C
B	A059	<i>Aythya ferina</i>			r	1	7	i		G	C	B	C	B
B	A059	<i>Aythya ferina</i>			c				P	DD	C			
B	A059	<i>Aythya ferina</i>			w	26	90	i		G	C	B	C	B
B	A061	<i>Aythya fuligula</i>			c				P	DD	C	B	C	B
B	A061	<i>Aythya fuligula</i>			w	1	112	i		G	C	B	C	B
B	A061	<i>Aythya fuligula</i>			r	5	10	p		G	C	B	C	B
B	A060	<i>Aythya nyroca</i>			c				R	DD	D			
M	1308	<i>Barbastella barbastellus</i>							P	DD	D			
B	A021	<i>Botaurus stellaris</i>			r		1	p		G	D	B	C	B
B	A021	<i>Botaurus stellaris</i>			c				P	DD	D			
B	A021	<i>Botaurus stellaris</i>			w	5	15	i		G	C	B	C	B
B	A067	<i>Bucephala clangula</i>			c				P	DD	D			
B	A067	<i>Bucephala clangula</i>			w				P	DD	D			
B	A133	<i>Burhinus oedicephalus</i>			c				R	DD	D	C	C	C
B	A087	<i>Buteo buteo</i>			r				P	DD	C	B	C	B
B	A087	<i>Buteo buteo</i>			c				P	DD	D			
B	A087	<i>Buteo buteo</i>			w				C	DD	C	B	C	B
B	A224	<i>Caprimulgus europaeus</i>			c				P	DD	C	C	C	C
B	A366	<i>Carduelis cannabina</i>			c				P	DD	D			

Species					Population in the site					Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D			
						Min	Max				Pop.	Con.	Iso.	Glo
B	A366	<i>Carduelis cannabina</i>			w				P	DD	D			
B	A364	<i>Carduelis carduelis</i>			p				C	DD	C	B	C	B
B	A363	<i>Carduelis chloris</i>			p				C	DD	C	B	C	B
B	A365	<i>Carduelis spinus</i>			c				C	DD	C	C	C	B
B	A365	<i>Carduelis spinus</i>			w				C	DD	C	B	C	B
B	A335	<i>Certhia brachydactyla</i>			r				C	DD	C	B	C	B
B	A335	<i>Certhia brachydactyla</i>			w				C	DD	C	C	C	B
B	A288	<i>Cettia cetti</i>			r	2	3	p		G	C	C	B	C
B	A288	<i>Cettia cetti</i>			w				C	DD	C	B	C	B
B	A196	<i>Chlidonias hybridus</i>			c				R	DD	D			
B	A197	<i>Chlidonias niger</i>			c				P	DD	D			
F	1115	<i>Chondrostoma genei</i>			p				P	DD	D			
B	A031	<i>Ciconia ciconia</i>			c				P	DD	D			
B	A080	<i>Circaetus gallicus</i>			c				P	DD	D			
B	A081	<i>Circus aeruginosus</i>			r	2	3	p		G	C	C	C	C
B	A081	<i>Circus aeruginosus</i>			c				P	DD	D			
B	A081	<i>Circus aeruginosus</i>			w				P	DD	D			
B	A082	<i>Circus cyaneus</i>			c				P	DD	D			
B	A082	<i>Circus cyaneus</i>			w				P	DD	C	B	C	B
B	A084	<i>Circus pygargus</i>			c				R	DD	D			
F	5304	<i>Cobitis bilineata</i>			p				P	DD	D			
B	A373	<i>Coccothraustes coccothraustes</i>			c				P	DD	D			
B	A373	<i>Coccothraustes coccothraustes</i>			w				P	DD	D			
I	1044	<i>Coenagrion mercuriale</i>			p				P	DD	D			
B	A206	<i>Columba livia f. domestica</i>			p				P	DD	D			
B	A207	<i>Columba oenas</i>			c				P	DD	D			
B	A207	<i>Columba oenas</i>			w				P	DD	D			
B	A208	<i>Columba palumbus</i>			p				P	DD	D			
B	A350	<i>Corvus corax</i>			c				P	DD	D			
B	A350	<i>Corvus corax</i>			w				P	DD	D			
B	A349	<i>Corvus corone</i>			r				P	DD	D			
B	A349	<i>Corvus corone</i>			w				P	DD	D			
B	A615	<i>Corvus corone cornix</i>			p				P	DD	D			
B	A348	<i>Corvus frugilegus</i>			c				P	DD	D			
B	A348	<i>Corvus frugilegus</i>			w				P	DD	D			
B	A347	<i>Corvus monedula</i>			c				P	DD	D			
B	A347	<i>Corvus monedula</i>			w				P	DD	D			
B	A113	<i>Coturnix coturnix</i>			r				P	DD	C	C	C	C
B	A113	<i>Coturnix coturnix</i>			c				P	DD	D			
B	A122	<i>Crex crex</i>			c				R	DD	D			

Species					Population in the site					Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D			
						Min	Max				Pop.	Con.	Iso.	Glo
B	A212	<i>Cuculus canorus</i>			r				P	DD	C	B	C	B
B	A212	<i>Cuculus canorus</i>			c				P	DD	D			
B	A253	<i>Delichon urbicum</i>			r				P	DD	D			
B	A253	<i>Delichon urbicum</i>			c				P	DD	D			
B	A237	<i>Dendrocopos major</i>			r				P	DD	C	C	C	C
B	A237	<i>Dendrocopos major</i>			w				P	DD	D			
B	A240	<i>Dendrocopos minor</i>			r				P	DD	C	C	C	C
B	A240	<i>Dendrocopos minor</i>			w				P	DD	D			
B	A236	<i>Dryocopus martius</i>			r				P	DD	C	B	C	B
B	A236	<i>Dryocopus martius</i>			w				P	DD	D			
B	A027	<i>Egretta alba</i>			c				P	DD	D			
B	A027	<i>Egretta alba</i>			w				P	DD	C	C	C	B
B	A026	<i>Egretta garzetta</i>			r	2	5			G	C	B	C	B
B	A026	<i>Egretta garzetta</i>			c				P	DD	D			
B	A026	<i>Egretta garzetta</i>			w				P	DD	D			
B	A378	<i>Emberiza cia</i>			c				P	DD	D			
B	A378	<i>Emberiza cia</i>			w				P	DD	D			
B	A376	<i>Emberiza citrinella</i>			c				P	DD	D			
B	A376	<i>Emberiza citrinella</i>			w				P	DD	D			
B	A379	<i>Emberiza hortulana</i>			c				R	DD	D			
B	A381	<i>Emberiza schoeniclus</i>			w				P	DD	C	B	C	A
B	A269	<i>Erithacus rubecula</i>			p				P	DD	C	B	C	B
B	A101	<i>Falco biarmicus</i>			c				P	DD	D			
B	A098	<i>Falco columbarius</i>			c				R	DD	D			
B	A100	<i>Falco eleonora</i>			c				R	DD	D			
B	A103	<i>Falco peregrinus</i>			c				P	DD	D			
B	A103	<i>Falco peregrinus</i>			w				P	DD	D			
B	A099	<i>Falco subbuteo</i>			r				P	DD	D			
B	A099	<i>Falco subbuteo</i>			c				P	DD	D			
B	A096	<i>Falco tinnunculus</i>			r				P	DD	D			
B	A096	<i>Falco tinnunculus</i>			c				P	DD	D			
B	A096	<i>Falco tinnunculus</i>			w				P	DD	D			
B	A097	<i>Falco vespertinus</i>			c				R	DD	D			
B	A322	<i>Ficedula hypoleuca</i>			c				P	DD	D			
B	A359	<i>Fringilla coelebs</i>			p				P	DD	D			
B	A360	<i>Fringilla montifringilla</i>			c				P	DD	D			
B	A360	<i>Fringilla montifringilla</i>			w				P	DD	D			
B	A125	<i>Fulica atra</i>			r				P	DD	C	B	C	B
B	A125	<i>Fulica atra</i>			c				P	DD	D			
B	A125	<i>Fulica atra</i>			w	100	360	i		G	C	B	C	B

Species					Population in the site					Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D			
						Min	Max				Pop.	Con.	Iso.	Glo
B	A153	<i>Gallinago gallinago</i>			c				P	DD	D			
B	A153	<i>Gallinago gallinago</i>			w				P	DD	D			
B	A154	<i>Gallinago media</i>			c				R	DD	D			
B	A123	<i>Gallinula chloropus</i>			r				P	DD	D			
B	A123	<i>Gallinula chloropus</i>			c				P	DD	D			
B	A123	<i>Gallinula chloropus</i>			w				P	DD	D			
B	A342	<i>Garrulus glandarius</i>			p				P	DD	D			
B	A002	<i>Gavia arctica</i>			c				R	DD	D			
B	A003	<i>Gavia immer</i>			c				R	DD	D			
B	A001	<i>Gavia stellate</i>			c				R	DD	D			
B	A127	<i>Grus grus</i>			c				R	DD	D			
B	A127	<i>Grus grus</i>			w				R	DD	D			
B	A131	<i>Himantopus himantopus</i>			c				R	DD	D			
B	A300	<i>Hippolais polyglotta</i>			r				P	DD	D			
B	A300	<i>Hippolais polyglotta</i>			c				P	DD	D			
B	A251	<i>Hirundo rustica</i>			r				P	DD	D			
B	A251	<i>Hirundo rustica</i>			c				P	DD	D			
B	A022	<i>Ixobrychus minutus</i>			r	5	10	p		G	C	B	C	B
B	A233	<i>Jynx torquilla</i>			c				P	DD	D			
B	A338	<i>Lanius collurio</i>			r				C	DD	C	C	C	B
B	A338	<i>Lanius collurio</i>			c				P	DD	D			
B	A340	<i>Lanius excubitor</i>			c				P	DD	D			
B	A340	<i>Lanius excubitor</i>			w				P	DD	D			
B	A182	<i>Larus canus</i>			c				P	DD	D			
B	A182	<i>Larus canus</i>			W				P	DD	D			
B	A176	<i>Larus melanocephalus</i>			c				R	DD	D			
B	A604	<i>Larus michaellis</i>			c				P	DD	D			
B	A604	<i>Larus michaellis</i>			w				P	DD	D			
B	A177	<i>Larus minutus</i>			c				P	DD	D			
B	A177	<i>Larus minutus</i>			w				P	DD	D			
B	A179	<i>Larus ridibundus</i>			c				P	DD	D			
B	A179	<i>Larus ridibundus</i>			w				P	DD	D			
B	A157	<i>Limosa lapponica</i>			c				R	DD	D			
B	A292	<i>Locustella luscinioides</i>			c				R	DD	C	B	C	B
B	A290	<i>Locustella naevia</i>			c				P	DD	D			
B	A246	<i>Lullula arborea</i>			w				R	DD	D			
B	A271	<i>Luscinia megarhynchos</i>			r				P	DD	C	B	C	B
B	A271	<i>Luscinia megarhynchos</i>			c				P	DD	D			
B	A272	<i>Luscinia svecica</i>			c				R	DD	D			
I	1060	<i>Lycaena dispar</i>			p				P	DD	D			

Species					Population in the site					Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D			
						Min	Max				Pop.	Con.	Iso.	Glo
P	1428	<i>Marsilea quadrifolia</i>	Yes		p				V	P	C	C	A	B
B	A068	<i>Mergus albellus</i>			c				R	DD	D			
B	A068	<i>Mergus albellus</i>			w				R	DD	D			
B	A230	<i>Merops apiaster</i>			c				P	DD	D			
B	A073	<i>Milvus migrans</i>			r	2	3	p		P	C	B	C	B
B	A073	<i>Milvus migrans</i>			c				P	DD	C	B	C	B
B	A074	<i>Milvus milvus</i>			c				R	DD	D			
B	A262	<i>Motacilla alba</i>			p				P	DD	D			
B	A261	<i>Motacilla cinerea</i>			p				P	DD	D			
B	A260	<i>Motacilla flava</i>			r				P	DD	D			
B	A260	<i>Motacilla flava</i>			c				P	DD	D			
B	A319	<i>Muscicapa striata</i>			r				P	DD	C	B	C	B
B	A319	<i>Muscicapa striata</i>			c				P	DD	D			
B	A058	<i>Netta rufina</i>			c				P	DD	D			
B	A058	<i>Netta rufina</i>			w				P	DD	D			
B	A023	<i>Nycticorax nycticorax</i>			r	4	5	p		G	C	B	C	B
B	A023	<i>Nycticorax nycticorax</i>			c				P	DD	C	B	C	B
B	A277	<i>Oenanthe oenanthe</i>			c				P	DD	D			
B	A337	<i>Oriolus oriolus</i>			r				P	DD	D			
B	A337	<i>Oriolus oriolus</i>			c				P	DD	D			
I	1041	<i>Oxygastra curtisii</i>			p				P	DD	D			
B	A071	<i>Oxyura leucocephala</i>			c				R	DD	D			
B	A094	<i>Pandion haliaetus</i>			c				P	DD	D			
B	A329	<i>Parus caeruleus</i>			p				P	DD	D			
B	A330	<i>Parus major</i>			p				P	DD	D			
B	A325	<i>Parus palustris</i>			r				P	DD	D			
B	A325	<i>Parus palustris</i>			w				P	DD	D			
B	A621	<i>Passer italiae</i>			p				P	DD	D			
B	A356	<i>Passer montanus</i>			p				P	DD	D			
B	A019	<i>Pelecanus onocrotalus</i>			c				R	DD	D			
B	A328	<i>Periparus ater</i>			c				P	DD	D			
B	A328	<i>Periparus ater</i>			w				P	DD	D			
B	A072	<i>Pernis apivorus</i>			c				P	DD	D			
B	A017	<i>Phalacrocorax carbo</i>			r	3	6	p		G	C	B	C	B
B	A017	<i>Phalacrocorax carbo</i>			c				P	DD	D			
B	A017	<i>Phalacrocorax carbo</i>			w	10	50	i		G	C	B	C	B
B	A115	<i>Phasianus colchicus</i>			p				P	DD	D			
B	A151	<i>Philomachus pugnax</i>			c				R	DD	D			
B	A273	<i>Phoenicurus ochruros</i>			p				P	DD	D			
B	A274	<i>Phoenicurus phoenicurus</i>			r				P	DD	D			

Species					Population in the site					Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D			
						Min	Max				Pop.	Con.	Iso.	Glo
B	A274	<i>Phoenicurus phoenicurus</i>			c				P	DD	D			
B	A313	<i>Phylloscopus bonelli</i>			c				P	DD	D			
B	A315	<i>Phylloscopus collybita</i>			c				P	DD	D			
B	A315	<i>Phylloscopus collybita</i>			w				P	DD	D			
B	A314	<i>Phylloscopus sibilatrix</i>			c				P	DD	D			
B	A316	<i>Phylloscopus trochilus</i>			c				P	DD	D			
B	A343	<i>Pica pica</i>			p				P	DD	D			
B	A235	<i>Picus viridis</i>			p				P	DD	C	C	C	C
B	A235	<i>Picus viridis</i>			r				P	DD	C	C	C	C
B	A032	<i>Plegadis falcinellus</i>			c				R	DD	D			
B	A007	<i>Podiceps auratus</i>			c				P	DD	D			
B	A005	<i>Podiceps cristatus</i>			r	5	10	p		G	C	C	A	C
B	A005	<i>Podiceps cristatus</i>			w	8	36	i		G	C	C	A	C
B	A005	<i>Podiceps cristatus</i>			c				P	DD	D			
B	A008	<i>Podiceps nigricollis</i>			c				P	DD	D			
B	A008	<i>Podiceps nigricollis</i>			w				P	DD	D			
B	A120	<i>Porzana parva</i>			c				R	DD	D			
B	A119	<i>Porzana porzana</i>			c				R	DD	D			
B	A267	<i>Prunella collaris</i>			W				P	DD	D			
B	A266	<i>Prunella modularis</i>			w				P	DD	C	C	C	C
B	A266	<i>Prunella modularis</i>			c				P	DD	D			
B	A250	<i>Ptyonoprogne rupestris</i>			c				R	DD	D			
B	A118	<i>Rallus aquaticus</i>			r	3	5	P		G	C	C	C	C
B	A118	<i>Rallus aquaticus</i>			c				P	DD	D			
B	A118	<i>Rallus aquaticus</i>			w				P	DD	D			
B	A132	<i>Recurvirostra avosetta</i>			c				R	DD	D			
B	A318	<i>Regulus ignicapillus</i>			w				P	DD	D			
B	A318	<i>Regulus ignicapillus</i>			c				P	DD	D			
B	A317	<i>Regulus regulus</i>			w				P	DD	C	C	C	C
B	A317	<i>Regulus regulus</i>			c				P	DD	D			
B	A336	<i>Remiz pendulinus</i>			c				P	DD	D			
B	A336	<i>Remiz pendulinus</i>			w				P	DD	C	C	C	C
M	1304	<i>Rhinolophus ferrumequinum</i>			r				P	DD	C	C	C	C
B	A249	<i>Riparia riparia</i>			c				P	DD	D			
B	A275	<i>Saxicola rubetra</i>			c				R	DD	D			
B	A276	<i>Saxicola torquatus</i>			c				R	DD	D			
B	A276	<i>Saxicola torquatus</i>			w				P	DD	D			
B	A361	<i>Serinus serinus</i>			w				R	DD	D			
B	A361	<i>Serinus serinus</i>			c				R	DD	D			
B	A332	<i>Sitta europaea</i>			w				R	DD	D			

Species					Population in the site					Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D			
						Min	Max				Pop.	Con.	Iso.	Glo
B	A332	<i>Sitta europaea</i>			r				R	DD	D			
B	A195	<i>Sterna albifrons</i>			c				R	DD	D			
B	A193	<i>Sterna hirundo</i>			c				R	DD	D			
B	A209	<i>Streptopelia decaocto</i>			w				R	DD	D			
B	A209	<i>Streptopelia decaocto</i>			r				R	DD	D			
B	A210	<i>Streptopelia turtur</i>			r				R	DD	D			
B	A210	<i>Streptopelia turtur</i>			c				R	DD	D			
B	A219	<i>Strix aluco</i>			w				R	DD	D			
B	A219	<i>Strix aluco</i>			r				R	DD	D			
B	A351	<i>Sturnus vulgaris</i>			p				P	DD	C	C	C	C
B	A311	<i>Sylvia atricapilla</i>			p				P	DD	C	C	C	C
B	A310	<i>Sylvia borin</i>			c				P	DD	C	C	C	C
B	A309	<i>Sylvia communis</i>			c				P	DD	D			
B	A308	<i>Sylvia curruca</i>			c				P	DD	D			
B	A004	<i>Tachybaptus ruficollis</i>			r	4	5	p		G	C	C	C	C
B	A004	<i>Tachybaptus ruficollis</i>			c				P	DD	D			
B	A004	<i>Tachybaptus ruficollis</i>			w				P	DD	D			
B	A397	<i>Tadorna ferruginea</i>			c				R	DD	D			
B	A048	<i>Tadorna tadorna</i>			c				R	DD	D			
B	A166	<i>Tringa glareola</i>			c				R	DD	D			
B	A165	<i>Tringa ochropus</i>			w				R	DD	D			
B	A165	<i>Tringa ochropus</i>			c				R	DD	D			
B	A265	<i>Troglodytes troglodytes</i>			p				P	DD	C	C	C	C
B	A286	<i>Turdus iliacus</i>			w				R	DD	D			
B	A286	<i>Turdus iliacus</i>			c				R	DD	D			
B	A283	<i>Turdus merula</i>			p				C	DD	C	B	C	B
B	A285	<i>Turdus philomelos</i>			c				P	DD	D			
B	A285	<i>Turdus philomelos</i>			w				P	DD	C	C	C	C
B	A284	<i>Turdus pilaris</i>			w				R	DD	D			
B	A284	<i>Turdus pilaris</i>			c				R	DD	D			
B	A287	<i>Turdus viscivorus</i>			w				R	DD	D			
B	A287	<i>Turdus viscivorus</i>			c				R	DD	D			
B	A232	<i>Upupa epops</i>			r				R	DD	D			
B	A232	<i>Upupa epops</i>			c				R	DD	D			
I	1016	<i>Vertigo moulinsiana</i>							P	DD	D			

Group: A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Type: p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

Unit: i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))

Abundance categories (Cat.): C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species			Population in the site					Motivation								
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories					
					Min	Max			C	R	V	P	IV	V	A	B
F		<i>Anguilla anguilla</i>										X				
I		<i>Asellus aquaticus</i>														X
A		<i>Bufo bufo</i>						P							X	
A		<i>Bufo viridis</i>							X							
R	1284	<i>Coluber viridiflavus</i>						P						X		
F		<i>Cyprinus carpio</i>														X
I		<i>Dolomedes plantarius</i>														X
R	1281	<i>Elaphe longissima</i>						P	X							
I	1026	<i>Helix pomatia</i>						P		X						
A	1203	<i>Hyla intermedia</i>							X							
M	5365	<i>Hypsugo savii</i>							X							
R	1263	<i>Lacerta bilineata</i>						P						X		
P		<i>Ludwigia palustris</i>						C								
M	1357	<i>Martes martes</i>						P		X						
M	1341	<i>Muscardinus avellanarius</i>						P	X							
M	1358	<i>Mustela putorius</i>								X						
R		<i>Natrix natrix</i>						P						X		
M	1331	<i>Nyctalus leisleri</i>							X							
A	1210	<i>Pelophylax kl. esculentus</i>								x						
M	2016	<i>Pipistrellus kuhlii</i>							X							
M	1317	<i>Pipistrellus nathusii</i>							X							
M	1309	<i>Pipistrellus pipistrellus</i>						P	X							
R	1256	<i>Podarcis muralis</i>						P	X							
P		<i>Potentilla palustris</i>						V								
A	1209	<i>Rana dalmatina</i>						P	X							
A	1207	<i>Rana lessonae</i>						P	X							
P		<i>Salvinia natans</i>						C			X					
I	1039	<i>Sympecma paedisca</i>							X							
B		<i>Tachybaptus ruficollis</i>						P						X		
M	1333	<i>Tadarida teniotis</i>							X							
P		<i>Trapa natans</i>						R			X					
A		<i>Triturus vulgaris</i>						P						X		
I	1033	<i>Unio elongatulus</i>						P		X						

Group: A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles

CODE: for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Unit: i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))

Cat.: Abundance categories: C = common, R = rare, V = very rare, P = present

Motivation categories: **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4 SITE DESCRIPTION

4.1 General site character

Habitat class	% Cover
N21	10.0
N07	10.0
N16	13.0
N15	2.0
N12	13.0
N10	3.0
N23	3.0
N20	-
N06	46.0
Total Habitat Cover	100

Other Site Characteristics

Ambiente lacustre con cinta di canneti, ridotta fascia forestale ripari e adiacente ampia palude, in un'area caratterizzata da estese colture di mais e prati stabili. Assenza praticamente completa di insediamenti abitativi.

4.2 Quality and importance

Lago eutrofico e zone palustri collegate che conservano interesse per la significativa presenza di formazioni vegetali acquatiche e specie di flora igrofila rare e in via di scomparsa, anche se si manifestano significativi elementi di degrado degli habitat. Zona di nidificazione e svernamento per numerose specie di uccelli acquatici e passeriformi.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
L	G02.06		i
L	H01.08		i
H	H01.05	X	b
M	F02.03.02		i
H	K03.05		b
L	A07		b
L	G02.10		b
H	I01		b
M	A01		b
H	K02.03		i
L	J02.10		i
M	F02.01.02		i
H	A08		b
M	G01.01.02		i

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside/outside [i o b]

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed

pollutions i = inside, o = outside, b = both

4.4 Ownership (optional) massi

Type	[%]	
Public	National/Federal	0
	State/Province	0
	Local/Municipal	0
	Any Public	66
Joint or Co-Ownership	0	
Private	34	
Unknown	0	
sum	100	

4.5 Documentation

Badino G., Camoletto R., Dal Vesco G., 1982/83 - Popolamenti fanerogamici del bacino di Candia e assetto idrobiologico del lago. Rev. Valdôtaine d'Hist. Nat., 36/37: 43-125; Biddau L., 1995 - L'avifauna acquatica svernante sul lago di Candia. Riv. Piem. St. Nat., 16: 233-251; Buzio S., Maffiotti A., 1995 - Indagine preliminare sulle caratteristiche territoriali del lago di Candia e delle aree limitrofe. FISIA (Fiatipresit Sistemi Ambientali Sviluppo Tecnologie Ambientali). Relazione tecnica; Cattaneo G., Biddau L., 2002 - Ornitologia Canavesana. Grafica Santhiense Editrice. 239 pp; GPSO, 82/95 - Resoconto ornitologico per la Regione Piemonte - Valle d'Aosta. Riv. Piem. St. Nat. N° 3,4, 5, 6, 7,8,9,11,12,13,14,15; I.P.L.A., 1993 - Zone umide della Provincia di Torino. Censimento preliminare, inquadramento dell'attuale importanza faunistica e definizione delle linee di gestione ai fini della conservazione edell'incremento del patrimonio faunistico. Provincia di Torino; IRSA, 1980 - Indagini sulla qualità delle acque lacustri italiane. Quaderno IRSA 43, 377 pp.; Mingozi T., Boano G., Pulcher C. e collab., 1988 - Atlante degli uccellinidificanti in Piemonte e Val d'Aosta 1980 ? 1984. Mus. Reg. Scienze Nat. (Monografie VIII) Torino; Moltoni E., 1943 - Gli Uccelli della Provincia di Aosta. Atti Soc. Ital. Sc. Nat., 82 (3/4): 205-308; Sindaco R., Baratti N., Boano G., 1992 - I Chiroteri del Piemonte e Valle d'Aosta, Bats of Piedmont and the Aosta Valley (NW Italy). Hystrix, (n.s.) 4 (1992) : 1-40; SEAcop stp, Studio Naturalistico Hyla. 2019. Rete Natura 2000 ZSC/ZPS IT IT1110036 "Lago di Candia". Piano di Gestione

5 SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT35	100.0	IT13	1.0	IT04	100.0

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT04	D.Lgs. n.42/2004 Art. 142 comma 1. lettera f Parco naturale di Candia	=	100%
IT35	D.Lgs. n.42/2004 Aree riconosciute ex artt. 136- 157 - Galassini	*	19%
	D.Lgs. n.42/2004 Aree riconosciute ex artt. 136- 157 - 1497/39		81%
	D.Lgs. n.42/2004 Art. 142 comma 1. lettera c Fascia 150 m da fiumi		36%
	D.Lgs. n.42/2004 Art. 142 comma 1. lettera b Fascia 300 m da laghi		34%
	D.Lgs. n.42/2004 Art. 142 comma 1. lettera g Territori coperti da boschi		<1%
	D.Lgs. n.42/2004 Art. 142 comma 1. lettera h Usi Civici		37%
IT13	Vincolo Idrogeologico	*	1%

5.3 Site designation (optional)

6 SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

Organisation:	Città metropolitana di Torino
Address:	Corso Inghilterra 7/9 - 10138 Torino
Email	protocollo@cert.cittametropolitana.torino.it

6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/>	Yes
<input type="checkbox"/>	No, but in preparation
<input type="checkbox"/>	No

6.3 Conservation measures (optional)

Il Piano di gestione è dotato di specifiche misure di conservazione sito specifiche.

7 MAP OF THE SITES

INSPIRE ID:

Map delivered as PDF in electronic format optional)

YES NO

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

BDTRE 2018 Regione Piemonte 1:10.000 (Fuso 32N – sistema di riferimento UTM WGS84)